ABSTRACT

A process for producing powder, flakes, or pellets 5 containing α-sulfo fatty acid alkylester salt in high concentrations, the process including: (1) a step of preparing a paste containing α -sulfo fatty acid alkylester salt by a series of reactions of sulfonating a fatty acid alkylester with a sulfonating gas by contact with each other, esterifying the sulfonated product with a lower alcohol, 10 neutralizing the esterified product, and bleaching the neutralized product, to give a paste containing α -sulfo fatty acid alkylester salt; (2) a step of aging the thus obtained paste: (3) a step of making the aged paste into flakes or pellets containing equal to or less than 10 wt% of water, or 15 a step of making the aged paste into flakes or pellets containing equal to or less than 10 wt% of water and then crushing the resulting flakes or pellets into a powder having an average particle diameter of 100-1500 µm; and (4) a step of aging the powder, flakes, or pellets. 20